

IN THE CLAIMS

*The status of the claims as presently amended is as follows:*

1. (*Currently Amended*) An image processing apparatus comprising:

an inputter arranged to input image data representing an image;

a processor arranged to process the image data input by said inputter in a manner such that the image represented by the image data has a predetermined image size by adding white data to the image data input by said inputter;

a first producer arranged to produce data for transmission by facsimile based on the image data input by said inputter;

a second producer arranged to produce data for transmission by electronic mail based on the image data input by said inputter;

a selector arranged to select a facsimile transmission or an electronic mail transmission based on an instruction by a user; and

a controller arranged to control said first and second producers in a manner such that when the data for transmission by facsimile is produced by said first producer in accordance with a selection of the facsimile transmission by said selector, the data for transmission by facsimile is produced after said processor adds the white data to the image data input by said inputter ~~is processed by said processor~~ to alter the size of the image represented by the input image data to ~~match~~ the predetermined image size for transmission by facsimile if the image represented by the input image data is smaller than the predetermined image size, and when the data for transmission by electronic mail is produced by said second producer in accordance with a selection of the electronic mail transmission by said selector, the data for transmission by electronic mail is produced without said processor adding the white data to the image data input by said inputter ~~being processed by said processor~~ to alter the size of the image represented by the input image data to the predetermined image size even if the image represented by the input image data is smaller than the predetermined image size.

2. (*Original*) An image processing apparatus according to claim 1, wherein said inputter inputs the image data from a reader which reads the image and generates the image data based on the image.

3. (*Original*) An image processing apparatus according to claim 1, wherein said inputter inputs the image data from a detachable memory.

4. (*Canceled*)

5. (*Original*) An image processing apparatus claim 1, wherein said controller controls said first producer and said second producer such that said first producer and said second producer use different  $\gamma$  values in producing the data.

6. (*Original*) An image processing apparatus according to claim 1, wherein said controller restricts operations of said first and second producers according to a predetermined condition.

7-14. (*Canceled*)

15. (*Currently Amended*) An image processing method comprising:

an inputting step of inputting image data representing an image;

a processing step of processing the image data input in said inputting step in a manner such that the image represented by the image data has a predetermined image size by adding white data to the image data input in said inputting step;

a first producing step of producing data for transmission by facsimile based on the image data input in said inputting step;

a second producing step of producing data for transmission by electronic mail based on the image data input in said inputting step;

a selecting step of selecting a facsimile transmission or an electronic mail transmission based on an instruction by a user; and

a controlling step of controlling said first and second producing steps in a manner such that when the data for transmission by facsimile is produced in said first producing step in accordance with a selection of the facsimile transmission in said selecting step, the data for transmission by facsimile is produced after the white data is added to, in the processing step, to the image data input in said inputting step ~~is processed in said processing step~~ to alter the size of the image represented by the input image data to ~~match~~ the predetermined image size for transmission by facsimile if the image represented by the input image data is smaller than the predetermined image size, and when the data for transmission by electronic mail is produced in said second producing step in accordance with a selection of the electronic mail transmission in said selecting step, the data for transmission by electronic mail is produced without adding, in

said processing step, the white data to the image data input in said inputting step-being-processed in said processing step to alter the size of the image represented by the input image data to the predetermined size even if the image represented by the input image data is smaller than the predetermined image.

16. (*Currently Amended*) A computer-readable storage medium storing a computer readable program, the program comprising:

an inputting module for inputting image data representing an image;

a processing module for processing the image data input by said inputting module in a manner such that the image represented by the image data has a predetermined image size by adding white data to the image data input by said inputting module;

a first producing module for producing data for transmission by facsimile based on the image data input by said inputting module;

a second producing module for producing data for transmission by electronic mail based on the image data input by said inputting module;

a selecting module for selecting a facsimile transmission or an electronic mail transmission based on an instruction by a user; and

a controlling module for controlling said first and second producing modules in a manner such that when the data for transmission by facsimile is produced by said first producing module in accordance with a selection of the facsimile transmission by selecting module, the data for transmission by facsimile is produced after said processing module adds the white data to the image data input by said inputting module-is processed by said processing module to alter the size of the image represented by the input image data to match the predetermined image size for transmission by facsimile if the image represented by the input image data is smaller than the predetermined image size, and when the data for transmission by electronic mail is produced by said second producing module in accordance with a selection of the electronic mail transmission by said selecting module, the data for transmission by electronic mail is produced without said processing module adding the white data to the image data input by said inputting module-being processed by said processing module to alter the size of the image represented by the input image data to the predetermined size even if the image represented by the input image data is smaller than the predetermined image.

17-18. (*Canceled*)